





Demand Response (DR) Enabling Technology Project





CBE
Edward Arens, Charlie Huizenga
ME
David Auslander,
Student Research Staff:
**Po-kai Chen Xue Chen, Reman
Child, Alex Do, Jaehwi Jang,
Florian Jourda, Anna LaRue,
Therese Peffer, William Watts,
Yi Yuan**

CENTER FOR THE BUILT ENVIRONMENT OCTOBER 2005









Electricity: demand-response AC receptacle

- In-line outlet device for lamps and appliances
- Measure AC current, power, energy
- Power relay for appliance on/off
- TRIAC for lamp/appliance dimming

CENTER FOR THE BUILT ENVIRONMENT OCTOBER 2005

Next Steps

- Use data for development of the learning algorithms
- Determine which parameters are important and/or correlated
- Additional sensors for finer resolution
 - Example: Whole-house electricity use
 - measure at each line of circuit breaker
 - appliance-level monitoring
- Simulate dynamic pricing in house

CENTER FOR THE BUILT ENVIRONMENT OCTOBER 2005

Questions?

Alex Do
do@oxy.edu

Therese Peffer
tpeffer@berkeley.edu

Edward Arens
earens@berkeley.edu



CENTER FOR THE BUILT ENVIRONMENT OCTOBER 2005